



www.dtausagroup.com
The Choice of Professionals



Tile Cutters, Diamond Cutting and Grinding Accessories

Catalog Edition 2

USA

P 925-371-7101

F 925-905-3063


E sales@dtausagroup.com

6764 Preston Ave, Suite B,
Livermore CA USA 94551

DTA reserve the right to change product specifications without notice. Products may vary from pictures shown.



The Choice of Professionals



The Choice of Professionals

DTA Tiling tools are designed and manufactured for use by tiling professionals and handypersons. They cover a wide range of indispensable products that make tiling both easier and more profitable. These range from trowels to spacers, silicones to grout scrubbers. For example, DTA trowels are available in various steels with a variety of notches and handles at many price points. DTA also offers general hand tools and power tools as well as handy gadgets that help make tiling easier. If you have any project that requires tiling DTA will have a tool to help you.



Boss Professional Diamond Blades 4

Hole Cutters 10

Cyclone Series 13

DTA Grinding And Abrasive Wheels 15

Tile Cutters 23

INDEX



BOSS PROFESSIONAL DIAMOND BLADES

DTA distribute a vast range of professional quality diamond cutting blades that can cut everything from quarry tiles to concrete. Choosing the correct blade for the material is essential, so check our chart to help your selection. DTA diamond blades render trouble free service, cut after cut.



Supreme Tile Saw Blades

- The Boss Supreme blade's diamond formulation provides cleaner, faster, smoother and chip free cutting of various tile and vitreous materials.



Item #	Specs	Rim Height	Pk Qty
DBST060	6" x .060 x 5/8	3/8"	1
DBST070	7" x .060 x 5/8	3/8"	1
DBST080	8" x .060 x 5/8	3/8"	1
DBST100	10" x .060 x 5/8	3/8"	1

Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	

Premium Tile Saw Blades

- The Boss Premium blades have a continuous rim that offers a great value for smooth and fast cutting of ceramic, porcelain and natural stone tiles.




Item #	Specs	Rim Height	Pk Qty
DBPT070	7" x .060 x 5/8	3/8"	1
DBPT100	10" x .060 x 5/8	3/8"	1

Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Engineered Stone	

Laser Cut Diamond Blade

- The Boss Laser cut blade has a supreme diamond bond and features laser-cut slots which help release stress, eliminate wobbling and reduce vibration for a cleaner, faster cut.



Item #	Specs	Rim Height	Pk Qty
DBLC070	7" x .060 x 5/8	5/16"	1
DBLC100	10" x .060 x 5/8	3/8"	1

Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Engineered Stone	



Supreme Glass Tile Saw Blades

- The Boss Supreme Glass Blade has a specially formulated continuous rim with super fine diamonds for smooth and chip-free cutting of glass.



Item #	Specs	Rim Height	Pk Qty
DBSG040	4" x .060 x 5/8	3/8"	1
DBSG070	7" x .060 x 5/8	3/8"	1
DBSG100	10" x .060 x 5/8	3/8"	1

Application	Wet Continuous
Glass	

Zenesis Blades

- Unique slot and rim design give the ZENESIS Continuous Rim Blade unparalleled cutting precision and performance, all without breaking a sweat. Since the blade incorporates ZENESIS pattern technology, fabricators can count exceptionally smooth, chip-free cutting of porcelain tile, granite and other hard materials.



Item #	Blade Diameter	Pk Qty
DBZEN040	4"	1
DBZEN045	4.5"	1
DBZEN050	5"	1
DBZEN060	6"	1
DBZEN070	7"	1
DBZEN080	8"	1
DBZEN080-DM	8"	1
DBZEN100	10"	1
DBZEN120	12"	1
DBZEN120-60	12"	1
DBZEN140	14"	1
DBZEN140-60	14"	1

Premium Dry Cutting Grinder Blades

- The Boss Premium Dry Grinder Blade is designed for dry cutting of ceramic, porcelain and natural stone. The continuous rim gives a smooth and clean cut.




Item #	Specs	Rim Height	Pk Qty
DBD040	4" x .060 x 5/8	9/32"	1
DBD045	4.5" x .060 x 5/8	9/32"	1

Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	

Dry Continuous Diamond Blade

- Dry & wet cutting
- Clean chip-free cut
- Ideal for ceramic, porcelain and natural stone



Blade Diameter	Code	Rim Height	Pk Qty
4"	TCC105A	9/32"	10
4.5"	TCC115A	9/32"	10
5"	TCC125A	9/32"	10

Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Fibreglass	
Fibro Cement	

Supreme Turbo Blades

- The Boss Supreme Turbo Blades have a supreme diamond formulation for fast, smooth and clean cut. The blade comes with holes for a flush mount adapter.



Item #	Specs	Rim Height	Pk Qty
DBST040	4" x .070 x 7/8-5/8, pearl gold	5/16"	1
DBST045	4.5" x .070 x 7/8-5/8, pearl gold	5/16"	1
DBST050	5" x .070 x 7/8-5/8, pearl gold	5/16"	1

Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Concrete	





DTA White Lightning Series

- Extremely thin blade for fast cutting
- Cuts cleanly and precisely
- Wet or dry use
- Extra Core Strength

This blade requires air as a dry coolant
or water as a wet coolant




Blade Diameter	Code	Rim Height	Pk Qty
4"	TT105A	21/64"	10
4.5"	TT115A	21/64"	10
5"	TT125A	21/64"	10
10"	TT250A	21/64"	10

Application	Super Thin Turbo
Ceramic Tiles	✓
Critically Hard Tiles	✓
Porcelain	✓
Slate	✓
Marble	✓
Granite	✓
Terracotta	✓
Glass	✓
Fibreglass	✓
PVC Pipes	✓
Concrete	✓
Reinforced Concrete	X
Fibro Cement	✓
Clay Bricks	✓
Clay Pavers	✓
Bluestone	✓

Phantom Series Diamond Blade

- Diamond mesh blade designed for percision cutting of porcelain tiles with reduced chipping of tiles



Blade Diameter	Code	Rim Height	Pk Qty
4"	CDB105A	3/8"	10
4-12"	CDB115A	3/8"	10
5"	CDB125A	3/8"	10
7"	CDB180A	3/8"	5
10"	CDB250A	3/8"	5

Application	M
Ceramic Tiles	✓
Critically Hard Tiles	✓
Porcelain	✓
Slate	✓
Marble	✓
Granite	✓
Terracotta	✓
Glass	✓
Fibreglass	✓
PVC Pipes	✓
Concrete	✓
Reinforced Concrete	X
Fibro Cement	✓
Clay Bricks	✓
Clay Pavers	✓
Bluestone	✓

Green Wave Core Blades

- The wave core design of the blade provides a strong core that allows air to circulate, displace debris and enhance cutting speed.

Item #	Specs	Rim Height	Pk Qty
DBGW040	4" x .095 x 7/8-5/8, pearl green	5/16"	1
DBGW045	4.5" x .10 x 7/8-5/8, pearl green	5/16"	1
DBGW050	5" x .10 x 7/8-5/8, pearl green	5/16"	1



Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Concrete	
Reinforced Concrete	
Fibro Cement	
Clay Bricks	
Clay Pavers	
Bluestone	

Turbo Diamond blade

- Superior value
- Fast cutting
- Use dry or wet

Blade Diameter	Code	Rim Height	Pk Qty
4"	TCT105A	5/16"	10
4.5"	TCT115A	5/16"	10
5"	TCT125A	5/16"	10




Application	Wet Continuous
Ceramic Tiles	
Slate	
Marble	
Granite	
Terracotta	
Fibreglass	
PVC Pipes	
Concrete	
Fibro Cement	
Clay Bricks	
Bluestone	





Diamond Coated Drill Bits

- Long lasting electroplated diamond coating
- Drill bits are designed for Porcelain, Ceramic and Natural stone
- Work with standard variable speed drills



Code	Size	Pk Qty
DCT04E	Diamond Drill Bits 5/32"	12
DCT06E	Diamond Drill Bits 1/4"	12
DCT08E	Diamond Drill Bits 5/16"	12
DCT10E	Diamond Drill Bits 3/8"	12
DCT12E	Diamond Drill Bits 1/2"	12
DCT16E	Diamond Drill Bits 5/8"	1
DCT20E	Diamond Drill Bits 3/4"	1
DCT22E	Diamond Drill Bits 7/8"	1
DCT25E	Diamond Drill Bits 1"	1
DCT28E	Diamond Drill Bits 1-1/8"	1
DCT32E	Diamond Drill Bits 1-1/4"	1
DCT35E	Diamond Drill Bits 1-3/8"	1
DCT38E	Diamond Drill Bits 1-1/2"	1
DCT45E	Diamond Drill Bits 1-3/4"	1
DCT50E	Diamond Drill Bits 2"	1
DCT55E	Diamond Drill Bits 2-3/16"	1
DCT60E	Diamond Drill Bits 2-3/8"	1
DCT64E	Diamond Drill Bits 2-1/2"	1
DCT70E	Diamond Drill Bits 2-3/4"	1
DCT76E	Diamond Drill Bits 3"	1
DCT88E	Diamond Drill Bits 3-1/2"	1
DCT110E	Diamond Drill Bits 4-1/4"	1
DCT115E	Diamond Drill Bits 4-1/2"	1

Diamond Core Bits Wet

- High quality long lasting core bits
- 5/8"-11 arbor fits standard polishers and grinders
- Core bits are designed for Porcelain, Ceramic and Natural stone

Code	Size	Pk Qty
3448	Diamond Core Bit 1/2"	1
3441	Diamond Core Bit 3/4"	1
3320	Diamond Core Bit 1-1/4"	1
4007	Diamond Core Bit 1-3/8"	1
3322	Diamond Core Bit 1-1/2"	1



Turbo Diamond Hole Saw

- High quality long lasting core bits
- 3/8" Shank fits standard drills
- Core bits are designed for Porcelain, Ceramic and Natural stone

Code	Size	Pk Qty
CBW34	Core Bit Wet 3/4"	1
CBW1	Core Bit Wet 1"	1
CBW114	Core Bit Wet 1-1/4"	1
CBW138	Core Bit Wet 1-3/8"	1
CBW112	Core Bit Wet 1-1/2"	1
CBW2	Core Bit Wet 2"	1



Diamond Core Bits Dry

- High quality long lasting core bits
- 5/8"-11 arbor fits standard polishers and grinders
- Core bits are designed for Porcelain, Ceramic and Natural stone

Code	Size	Pk Qty
CBD1	Core Bit Dry 1"	1
CBD114	Core Bit Dry 1-1/4"	1
CBD138	Core Bit Dry 1-3/8"	1
CBD112	Core Bit Dry 1-1/2"	1
CBD2	Core Bit Dry 2"	1



Tornado Dry Cut Diamond Drill Bit

- Hexagonal shaft
- 2000-3000 RPM
- Suitable for the dry drilling of porcelain, marble, granite, ceramic, limestone, slate, terracotta, fiberglass, glass, travertine and masonry



Size	Code	Pk Qty
3/16"	DDB05	12
1/4"	DDB06	12
5/16"	DDB08	12
3/8"	DDB10	12
1/2"	DDB12	12
3/4"	DDB20	12
1"	DDB25	12
1-3/8"	DDB35	12

Tornado Dry Cut Drill Bits

- 5/8" - 11 arbor
- 6000 - 11000RPM
- Suitable for the dry drilling of porcelain, marble, granite, ceramic, limestone, slate, terracotta, fiberglass, travertine and masonry



Size	Code	Pk Qty
1/4"	TBDD06	12
5/16"	TBDD08	12
3/8"	TBDD10	12
1/2"	TBDD12	12
1"	TBDD25	10
1-3/8"	TBDD35	10
1-1/2"	TBDD38	10
2"	TBDD50	10
2-3/16"	TBDD55	10
2-1/2"	TBDD65	10
3-1/2"	TBDD88	10
4-3/8"	TBDD110	10

11 Piece Diamond Hole Saw Kit

Code: **66810511**
Pk Qty: 1



- Heavy duty electroplated diamond bits
- Set includes 1/4, 5/16, 3/8, 3/4, 1-1/4, 1-1/2, 1-3/4, 2, 2-1/2, 2-5/8" bits, universal drill guide and aluminum case



14 Piece Diamond Hole Saw Kit

Code: **66171414**
Pk Qty: 1



- Heavy duty electroplated diamond bits
- Set includes 5/32, 1/4, 5/16, 3/8, 1/2, 5/8, 7/8, 1, 1-1/4, 1-3/8, 1-9/16" bits, 4" steel universal drill guide and 1.1L cooling system



3 Piece Diamond Hole Saw Kit

Code: **66810103**
Pk Qty: 1



- Heavy duty electroplated diamond bits
- Set includes three 1-3/8" bits and aluminum case





5 Piece Diamond Hole Saw Kit

Code: **1955**

Pk Qty: **1**



- Heavy duty electroplated diamond bits
- Set includes 5/32", 1/4", 5/16", 3/8", 1/2" diamond hole saws



DTA Diamond Blade Sharpening Stones

Code: **DBDS**

Pk Qty: **10**

- Designs to re-expose blade diamonds if they foul or clog up during clay cutting



PVC Suction Cup and Guide

Code: **DTASCG**

Pk Qty: **6**

- Guide suited for drilling 1/4" - 3-1/4" holes
- Suction cup ensures stability while using guide for vertical or horizontal drilling
- Ideal for carrying marble, granite or glass tiles and for removing broken or misplaced tiles



Adjustable Hole Cutter

Code: **09-295**

Pk Qty: **24**

1-1/8" - 3-1/2" ADJUSTABLE CUTTER

- Tungsten carbide tips
- Ideal for ceramic wall tiles
- Attaches to a hand or slow speed drill



Mini PVC Suction Cup and Guide

Code: **DTAMSCG**

Pk Qty: **6**

- Suitable for 5/32", 1/4", 5/16", 3/8" and 1/2" drill bits
- Pressurised water bottle can be attached to add water(DTAWB)



PVC Suction Cup and Guide with Water Supply

Code: **DTASCGW**

Pk Qty: **12**

- Ideal for use when cutting holes with diamond drill bits
- Can be used vertically
- Easy to use and portable
- Guide suited for 1/4" - 3-1/4" holes



Tile Glass Drill Bit

- Drill 1/8", 5/32", 3/16", 1/4", 5/16", 3/8" and 1/2" holes
- Suited to ceramic wall tiles or glass
- Recommended drilling speed 1000RPM

Size	Code	Pk Qty
1/8"	0801	10
5/32"	0803	10
3/16"	0805	10
1/4"	0806	10
5/16"	0808	10
3/8"	0810	10



Suction Ring Set

Code: **SRS**

Pk Qty: **6**

- Helps keep drilling area clean
- Easier to use than plumbers putty prolongs life of your drill bits
- 3" & 1-1/2"



Pressurised Water Bottle with Hose

Code: **DTAWB**

Pk Qty: **20**

- Can be used with DTAMSCG, DTAUSCG, DTASCG
- Can also be used to apply grout cleaner



CYCLONE SERIES

The DTA Cyclone Series has been designed to cover a range of products from cutting, grinding and dust extraction.



CYCLONE SERIES

**5" Diamond Cup Grinding Dust Extractor**

Code: DEC125

Pk Qty: 6

**DIY
TRADE**

- Suits 4" - 5" grinding cups
- Movable guard for grinding up to walls
- Brush base provides support for a cushion action
- Includes universal adapter to suit most vacuums
- Attachment sleeves suit most grinders

**Diamond Blade Dust Extractor**

Code: DEXBC

Pk Qty: 6

**DIY
TRADE**

- Removes dust while cutting
- Suits 4" - 5" blades
- Includes universal adapter to suit most vacuums

**Temporary Wall System Kit**

Code: DSKD

Pk Qty: 1

Kit includes:

- 4 x Aluminum extension poles extends to 12.8'
- 4 x Base plates 4 x Top plates
- 1 x Clear film 13.1' x 16.4' x 60um
- 2 x Adhesive zips 7'
- 12 x Pole U-Clips
- 1 x 55" Aluminum support bar
- 1 x Carry bag
- Ideal for Trade or DIY
- Partitions areas off to protect against dust and debris
- Multiple applications
- Versatile access point
- Easy to install
- Reusable
- Black film can be used for privacy

**7" Dust Extraction Shroud**

Code: DEC180

Pk Qty: 6

**DIY
TRADE**

- Ideal for use with grinding discs
- 1-3/8" vacuum outlet
- Removable guard for grinding against walls
- Brush base provides support for a cushion action
- Attachment sleeves suit most grinders

**Dust Extractor Suction Drill Guide**

Code: DEXSG

Pk Qty: 6

**DIY
TRADE**

- Dust-free-drilling
- Connects to a vacuum cleaner with a hose outlet of 1-1/4" - 1-1/2"
- Suitable for tile, plaster, stone and non porous materials
- Can be used with drills to a maximum diameter of 2-1/2"
- Made from Durable Plastic material

**Plastic Zip Door**

Code: DPZ

Pk Qty: 10

- Helps prevent mess spreading whilst renovating
- Heavy duty clear plastic material
- Allows access into work areas that have been sealed off to contain dust & debris
- Suitable for doorways up to 1 metre wide
- Commercial grade polyester zipper

**DTA GRINDING AND ABRASIVE WHEELS**

DTA Grinding Cup Wheels have been developed to assist in the preparation of surfaces, before tiling commences. With a range of different qualities and applications there is a wheel to suit any application.

The PVA Abrasive Wheels are designed to smooth those rough edges, giving a professional finish to any tiled area.



Diamond Cup Grinding Wheels

Diamond Cup Grinding Wheel are designed for dry grinding, levelling and shaping of concrete.
Ideal for surface preparation.
Suitable for grinding machines and angle grinders.

Single Row

- Coarse and aggressive grinding
- Usage: 80 -120hours

Size	Code	Pk Qty
4"	DGD100SCA	5



Double Row

- General purpose grinding
- Usage: 80 -120hours
- 5/8"-11 arbor

Size	Code	Pk Qty
4"	DGD100DCA	5



Turbo Row

- Finishing, shaping and smoothing
- Usage: 80 -120hours
- 5/8"-11 arbor

Size	Code	Pk Qty
4"	DGD100TCA	5
5"	DGD125TCA	5
7"	DGD175TCA	5



Silicone Carbide Sandpaper Disc

- Wet and dry silicon carbide abrasive discs
- For use with marble, travertine, terrazzo, onyx, glass, metal and wood
- High quality materials will give you the best results



Size	Code	Designed For	Grit	PK Qty
4"	SCP4-80	Silicone Carbide Sandpaper Disc	80	1
4"	SCP4-120	Silicone Carbide Sandpaper Disc	120	1
4"	SCP4-220	Silicone Carbide Sandpaper Disc	220	1
4"	SCP4-320	Silicone Carbide Sandpaper Disc	320	1
4"	SCP4-400	Silicone Carbide Sandpaper Disc	400	1
4"	SCP4-600	Silicone Carbide Sandpaper Disc	600	1
4"	SCP4-KIT	Silicone Carbide Sandpaper Disc	KIT	1
5"	SCP5-80	Silicone Carbide Sandpaper Disc	80	1
5"	SCP5-120	Silicone Carbide Sandpaper Disc	120	1
5"	SCP5-220	Silicone Carbide Sandpaper Disc	220	1
5"	SCP5-320	Silicone Carbide Sandpaper Disc	320	1
5"	SCP5-400	Silicone Carbide Sandpaper Disc	400	1
5"	SCP5-600	Silicone Carbide Sandpaper Disc	600	1
5"	SCP5-KIT	Silicone Carbide Sandpaper Disc	KIT	1

Diamond Hand Sand Pad

- Electroplated diamond
- Ideal for smoothing rough edges of porcelain



Code	Grit	PK Qty
DSP60	60	10
DSP120	120	10
DSP200	200	10
DSP400	400	10
DSP600	600	10
DSP800	800	10
DSP-3S	60、200、400	10
DSP-4S	60、200、400、600	10

Shaping Stone

- Silicon carbide shaping stone are great for concrete, masonry, granite and marble
- Long lasting premium design



Size	Code	Designed For	Grit	PK Qty
1.5" x 3"	SS15024	Shaping Stone	24	1
1.5" x 3"	SS15036	Shaping Stone	36	1
1.5" x 3"	SS15046	Shaping Stone	48	1
1.5" x 3"	SS15080	Shaping Stone	80	1
1.5" x 3"	SS15120	Shaping Stone	120	1
1.5" x 3"	SS15220	Shaping Stone	220	1
4" x 2"	SS4024	Shaping Stone	24	1
4" x 2"	SS4036	Shaping Stone	36	1
4" x 2"	SS4046	Shaping Stone	46	1
4" x 2"	SS4060	Shaping Stone	60	1
4" x 2"	SS4080	Shaping Stone	80	1
4" x 2"	SS4120	Shaping Stone	120	1
4" x 2"	SS4220	Shaping Stone	220	1
5" x 2"	SS5024	Shaping Stone	24	1
5" x 2"	SS5036	Shaping Stone	36	1
5" x 2"	SS5046	Shaping Stone	48	1
5" x 2"	SS5060	Shaping Stone	60	1
5" x 2"	SS5080	Shaping Stone	80	1
5" x 2"	SS5120	Shaping Stone	120	1
5" x 2"	SS5220	Shaping Stone	220	1





Vacuum Brazed Profile Wheels

All Vacuum Brazed Profile can be used on all kinds of material, 5/8" threaded for handheld grinders

Ogee Profile		
Code	Size	PK Qty
PWOG34	3/4"	1
PWOG1	1"	1



Dupont Profile		
Code	Size	PK Qty
PWD34	3/4"	1
PWD1-58	1-5/8"	1



Beveled Profile		
Code	Size	PK Qty
PWB316	3/16"	1
PWB14	1/4"	1
PWB38	3/8"	1
PWB58	5/8"	1
PWB34	3/4"	1



Demi-Bull Nose		
Code	Size	PK Qty
PWDB316	3/16"	1
PWDB14	1/4"	1
PWDB38	3/8"	1
PWDB12	1/2"	1
PWDB34	3/4"	1
PWDB1	1"	1




Full Bull Nose		
Code	Size	PK Qty
PWFB34	3/4"	1
PWFB1-316	1-3/16"	1
PWFB1-58	1-5/8"	1



Fiberglass Rod

Item #	Specs	Rim Height	Pk Qty
FG10-328	1/8" x 3/8" x 328FT	3/8"	1
FG6-328	1/8" x 1/4" x 328FT	3/8"	1



C-CLAMP

Code: **C-CLAMP4**

PK Qty: 10

- 4" X 3"



PVA Abrasive Wheels

- PVA Abrasive Wheels are designed to polish Marble and Travertine. They also work great on Porcelain and concrete edges 5/8" Bore
- 11,400 RPM Maximum
- Silicon carbide abrasive material 5/8" bore



Size	Code	Grit	PK Qty
4"	PVA100036	36	10
4"	PVA100060	60	10
4"	PVA100120	120	10
4"	PVA100220	220	10
4"	PVA100320	320	10
4"	PVA100400	400	10
4"	PVA100600	600	10
4"	PVA100036-10	36	10
4"	PVA100060-10	60	10
4"	PVA100120-10	120	10
4"	PVA100220-10	220	10
4"	PVA100320-10	320	10
4"	PVA100400-10	400	10
4"	PVA100600-10	600	10
4"	PVA-KIT	60, 120, 220, 400, 600 x 2pcs	10



Flexible Backer Pads

- These durable backer pads are the best on the market, and the preferred pad by contractors
- The flexibility allows the user to get into tight corners with ease
- Works great on tough contours and inside curves

Code	Size	PK Qty
2900603514	4"	1
2900603515	5"	1





Wet Diamond Polishing Pads

- Velcro backed polishing discs for polishing granite & marble
- Great for polishing flat surfaces and beveled edges
- Featuring much more flexibility than normal dry pads making them ideal for concave & convex surfaces



Size	Code	Designed For	Grit	PK Qty
4"	PPW4-0050E	Wet	50	10
4"	PPW4-0100E	Wet	100	10
4"	PPW4-0200E	Wet	200	10
4"	PPW4-0400E	Wet	400	10
4"	PPW4-0800E	Wet	800	10
4"	PPW4-1500E	Wet	1500	10
4"	PPW4-3000E	Wet	3000	10
4"	PPW4-BE	Wet	BUFF	10
4"	PPW4-WE	Wet	BUFF	10
5"	PPW5-0050E	Wet	50	10
5"	PPW5-0100E	Wet	100	10
5"	PPW5-0200E	Wet	200	10
5"	PPW5-0400E	Wet	400	10
5"	PPW5-0800E	Wet	800	10
5"	PPW5-1500E	Wet	1500	10
5"	PPW5-BE	Wet	BUFF	10
5"	PPW5-WE	Wet	BUFF	10

Premium Wet Diamond Polishing Pads

- Velcro backed polishing discs for polishing granite & marble
- Great for polishing flat surfaces and beveled edges
- Featuring much more flexibility than normal dry pads making them ideal for concave & convex surfaces



Size	Code	Designed For	Grit	PK Qty
4"	PPW4-0050	Wet	50	10
4"	PPW4-0100	Wet	100	10
4"	PPW4-0200	Wet	200	10
4"	PPW4-0400	Wet	400	10
4"	PPW4-0800	Wet	800	10
4"	PPW4-1500	Wet	1500	10
4"	PPW4-3000	Wet	3000	10
4"	PPW4-B	Wet	BUFF	10
4"	PPW4-W	Wet	BUFF	10

Premium Dry Diamond Polishing Pads


- Velcro backed polishing discs for polishing granite & marble
- Great for polishing flat surfaces and beveled edges
- Featuring much more flexibility than normal dry pads making them ideal for concave & convex surfaces



Size	Code	Designed For	Grit	PK Qty
4"	PPD4-0050	Dry	50	10
4"	PPD4-0100	Dry	100	10
4"	PPD4-0200	Dry	200	10
4"	PPD4-0400	Dry	400	10
4"	PPD4-0800	Dry	800	10
4"	PPD4-1500	Dry	1500	10
4"	PPD4-3000	Dry	3000	10
4"	PPD4-B	Dry	BUFF	10
4"	PPD4-W	Dry	BUFF	10
4"	PPD4-Kit	Dry		5

Engineered Stone Polishing Pads

- The special diamond bond is designed to give longer life and a consistent factory finish.
- They work well on all quartz products.
- These pads, when used properly, will never burn or bleed into the material.
- They should always be run wet to prevent resin from burning.
- Recommended use is at 3000 rpm.



Size	Code	Designed For	Grit	PK Qty
4"	PPE4-0050	Dry	50	10
4"	PPE4-0100	Dry	100	10
4"	PPE4-0200	Dry	200	10
4"	PPE4-0400	Dry	400	10
4"	PPE4-0800	Dry	800	10
4"	PPE4-1500	Dry	1500	10
4"	PPE4-3000	Dry	3000	10

Thick Latex Gloves

Code	Description	Size	Pk Qty
GLOVBLU-M	Thickster latex gloves Medium	Medium	10
GLOVBLU-L	Thickster latex gloves Large	Large	10
GLOVBLU-XL	Thickster latex gloves X-Large	X-Large	10
GLOVBLU-XXL	Thickster latex gloves XX-Large	XX-Large	10

- 50 gloves per box
- Thickness: 14mil
- Powder-free examination grade latex
- 12" length for added protection
- Beaded cuff for easy donning
- Textured for superior grip
- Strong yet soft and flexible



Heavy Duty Orange Lined grouting gloves

Code: GLOVHD-L
GLOVHD-XL

Pk Qty: 10

- Orange latex, 13" length
- Premium flock lined
- Chemical and Water Resistant
- Available in Large and XLarge



Handyman Grouter

Code	Size	Pk Qty
HG6	6"	24
HG9	9"	24

- Comfortable plastic handle with durable rubber grouting strip
- Easy to manoeuvre and ideal for small renovations



Felt pad

Code	Size	Pk Qty
HG6	4"	24
HG9	5"	24

- Ideal for polishing with powders
- White velcro on the back
- 3/8" thickness, Center hole 5/8"
- Domestic felt



Trade Hand Grouter

Code	Size	Pk Qty
TG6	6"	24
TG9	9"	24
TG12	12"	24

- Larger plastic handle and rubber grouting strip for optimal comfort and durability
- Ideal for grouting larger tiled areas



5" felt pad

Code: FP5-58

Pk Qty: 1

- The ultimate pad for polishing natural stone





Sidewinder Variable Speed Angle Grinder

Code: **VT6858**

Pk Qty: **1**

- Compact 1200 watt motor
- Constant power motor increase output to 1320 watt as resistance is applied
- 4.5" Grinding disk
- Variable speed motor
- RPM 5000-12000



Variable Speed Wet Polisher

Code: **WG1600**

Pk Qty: **1**

- High Powered 1600 Watt Motor
- Adjustable water feed
- Variable speed motor
- RPM 1000-5500



Wet Grinder


Code: **WG110**

Pk Qty: **1**

- Professional grade
- Powerful 900W motor
- Disc diameter: 4" to 5"
- No-load speed: 500-4500RPM
- Heavy-duty components
- Wear resistant die-cast aluminium gear cover
- Crack resistant engineered nylon body
- Convenient spindle lock
- Lightweight and compact design
- Easy-to-change carbon brushes
- RPM 500-4500



TILE CUTTERS















Boss Pro Series Tile Cutter

- Rigid I-Beam for precision score and solid support when breaking tile or stone
- 4 position adjustable Titanium wheel scores the hardest of materials and lasts longer
- 6 piece bearing loaded handle with rubber grip for smooth accurate score
- Non-slip spring loaded rubber mat cutting table
- Adjustable support legs for large format tile and stone
- 45 degree angle guide


Replacement Wheel: BPRO - Wheel

Tile Cutter Bags: BRPO-CC1040
BRPO-CC1250



BPRO-1240	48" Boss Pro Tile Cutter	 48" x 48"	 34" x 34"
BPRO-1040	41" Boss Pro Tile Cutter	 41" x 41"	 28" x 28"
BPRO-870	34" Boss Pro Tile Cutter	 34" x 34"	 24" x 24"
BPRO-650	26" Boss Pro Tile Cutter	 26" x 26"	 18" x 18"
BPRO-470	18" Boss Pro Tile Cutter	 18" x 18"	 12" x 12"


Breaker Foot and Adjustable Wheel



6 Bearing Assembly



Breaking Point Window




Tile Cutter 34"

Code: RBC-860

Pk Qty: 1

34" CUTTING CAPACITY

- Ideal for cutting large formats and materials of great hardness
- High performance single-point breaker
- Chromed and rectified steel guides, with anti-corrosion treatment
- Lateral Stop for straight and 45 degree repetitive cutting
- Ergonomic shape and reinforced base
- Direct vision of the scoring and cutting line




24" DTA Tile Cutter

Code: DTA-600

Pk Qty: 4

24" CUTTING CAPACITY

- Solid 3/4" chrome dual rail
- Ball bearing sliding handle
- Tungsten carbide cutting wheel
- Heavy duty construction



	Code	Description
1	DTA-600SW	Spare Wheel
2	DTA-600G	Guide
3	DTA-600SH	Handle




13" Handyman Tile Cutter

Code: DTA-330

Pk Qty: 6

13" CUTTING CAPACITY

- Push action wall tile cutter
- Lightweight construction
- Steel base
- Polished dual rails



	Code	Description
1	DTA-310SW	Replacement Wheel




16" Handyman Tile Cutter

Code: DTA-400

Pk Qty: 6

16" CUTTING CAPACITY

- Push action wall and floor tile cutter
- Lightweight construction
- Steel base
- Polished dual rails



	Code	Description
1	DTA-310SW	Replacement Wheel



12" Handyman Tile Cutter

Code: DTA-310

Pk Qty: 8

12" CUTTING CAPACITY

- Push action wall tile cutter
- Lightweight construction
- Steel base
- Polished dual rails



	Code	Description
1	DTA-310SW	Replacement Wheel





Centaur Electric Tile Cutter 29.5"

Code: **CEN750S2A**

Pk Qty: **10**

29.5" CUTTING CAPACITY

- 1500watt direct drive motor
- 10" - porcelain blade
- 45 degree mitre cuts
- Pivoting guides for easy alignment
- Includes:
 - Rip guide
 - Water pump
 - Folding legs with wheels
 - 6 Month Warranty



	Code	Description
1	RA250	Ceramic Blade
2	RAB250P	Porcelain Blade
3	CEN750DECK	Deck
4	CEN750MOTOR	Motor
5	CEN750RAIL	Rail
6	CENPVTGD	Pivot Guides



Scan this to view our video on the Centuar S2 Series



Centaur Electric Tile Cutter 39.5"

Code: **CEN1000S2A**

Pk Qty: **10**

39.5" CUTTING CAPACITY

- 1800watt direct drive motor
- 10" - porcelain blade
- 45 degree mitre cuts
- Pivoting guides for easy alignment
- Includes:
 - Rip guide
 - Water pump
 - Folding legs with wheels
 - 6 Month Warranty



	Code	Description
1	RA250	Ceramic Blade
2	RAB250P	Porcelain Blade
3	CEN1000B/COVER	Blade Cover
4	CEN1000DECK	Deck
5	CEN1000MOTOR	Motor
6	CEN1000RAIL	Rail
7	CENPVTGD	Pivot Guide



Scan this to view our video on the Centuar S2 Series



Centaur Electric Tile Cutter 49"

Code: **CEN1250S2A**

Pk Qty: **10**

49" CUTTING CAPACITY

- 1800watt direct drive motor
- 10" - porcelain blade
- 45 degree mitre cuts
- Pivoting guides for easy alignment
- Includes:
 - Rip guide
 - Water pump
 - Folding legs with wheels
 - 6 Month Warranty



	Code	Description
1	RA250	Ceramic Blade
2	RAB250P	Porcelain Blade
3	CEN1250B/COVER	Blade Cover
4	CEN1250DECK	Deck
5	CEN1250MOTOR	Motor
6	CEN1250RAIL	Rail
7	CENPVTGD	Pivot Guide



Scan this to view our video on the Centuar S2 Series



Water Pump

Code: **WPUMP.210**

Pk Qty: **10**

- Heavy duty constructing
- 210 gallons per hour

